



HomeTek Technology Inc.

ADDRESS: No. 67-9, Shir Men Road, Tu Cheng City,  
Taipei Hsien, Taiwan, R. O. C.

PHONE : 886-2-22608375 FAX : 886-2-22748013

E - mail : hometek@ms15.hinet.net

## CERTIFICATE OF COMPLIANCE

EUT : Video Distributor & Amplifier  
 MODEL NO. : CD102XX  
 Receipt Date : 03/18/2004 Final Test Date: 03/24/2004  
 REPORT # : EB3C033  
 APPLICANT : SMART CABLING & TRANSMISSION CORP.  
 ADDRESS : 3F., No. 4, Lane 130, Min-Chung Rd.,  
Hsin-Tien City, Taipei Hsien, Taiwan, R. O. C.

Measurement procedure used:

EMI: EN 55013 (2001),  
EN 61000-3-2 (2000), EN 61000-3-3 (1995) + A1 (2001)


EMS: EN 61000-6-1 (2001):  
IEC 61000-4-2 (1995), IEC 61000-4-3 (1995), IEC 61000-4-4 (1995), IEC 61000-4-5 (1995),  
IEC 61000-4-6 (1996), IEC 61000-4-8 (1993), IEC 61000-4-11 (1994)


We hereby show that:


The measurements shown in this test report were made in accordance with the procedures given in **EUROPEAN COUNCIL DIRECTIVE 89/336/EEC**, and the energy emitted by the equipment was found to be within the limits applicable.

This test result of this report applies to above tested sample only.

This test report shall not be reproduce in part without written approval of HomeTek Technology Inc.

PREPARED BY :  DATE : 3/30/2004  
FRANKIE WANG

CHECK BY :  DATE : 3/30/2004  
ALBERT TSAI / Senior Engineer

APPROVED BY :  DATE : 3/30/2004  
TOMMY RAU / Manager



**TABLE OF CONTENTS**

**GENERAL INFORMATION.....4**

**MODIFICATION LIST.....6**

**CONDUCTED POWER LINE TEST.....7**

1 TEST INSTRUMENTS & FACILITIES .....7

2 TEST PROCEDURE.....7

3 TEST SETUP .....8

4 CONFIGURATION OF THE EUT..... 10

5 EUT OPERATING CONDITION..... 14

6 LIMIT OF CONDUCTED POWER LINE EMISSION : ..... 14

7 RESULT OF CONDUCTED POWER LINE TEST ..... 14

**RADIATED EMISSION TEST ..... 19**

1 TEST PROCEDURE..... 19

2 RESULT OF RADIATED EMISSION TEST ..... 19

**DISTURBANCE VOLTAGE AT THE ANTENNA TERMINALS TEST..... 20**

1 TEST PROCEDURE.....20

2 RESULT OF DISTURBANCE VOLTAGE AT THE ANTENNA TERMINALS TEST.....20

**CLAMP EMISSION TEST..... 21**

1 TEST INSTRUMENTS & FACILITIES .....21

2 TEST PROCEDURE.....22

3 TEST SETUP .....23

4 CONFIGURATION OF THE EUT.....24

5 EUT OPERATING CONDITION.....24

6 LIMIT OF CLAMP EMISSION TEST : .....24

7 RESULT OF CLAMP EMISSION TEST.....24

**HARMONICS TEST..... 26**

1 TEST INSTRUMENTS & FACILITIES .....26

2 TEST PROCEDURE.....26

3 TEST SETUP .....26

4 CONFIGURATION OF THE EUT.....26

5 OPERATION CONDITION OF EUT .....26

6 TEST DATA & LIMIT.....26

**VOLTAGE FLUCTUATIONS TEST..... 29**

1 TEST INSTRUMENTS & FACILITIES .....29

2 TEST PROCEDURE.....29

3 TEST SETUP .....29

4 CONFIGURATION OF THE EUT.....29

5 OPERATION CONDITION OF EUT .....29



|                                                                       |                                     |           |
|-----------------------------------------------------------------------|-------------------------------------|-----------|
| 6                                                                     | TEST DATA & LIMIT.....              | 29        |
| <b>ELECTROSTATIC DISCHARGE IMMUNITY TEST (ESD) .....</b>              |                                     | <b>31</b> |
| 1                                                                     | TEST INSTRUMENTS & FACILITIES ..... | 31        |
| 2                                                                     | TEST PROCEDURE.....                 | 31        |
| 3                                                                     | TEST SETUP .....                    | 31        |
| 4                                                                     | CONFIGURATION OF THE EUT.....       | 32        |
| 5                                                                     | EUT OPERATION CONDITION .....       | 32        |
| 6                                                                     | TEST CONDITION.....                 | 32        |
| 7                                                                     | PERFORMANCE CRITERIA .....          | 32        |
| 8                                                                     | TEST RESULT .....                   | 33        |
| <b>RADIO FREQUENCY ELECTROMAGNETIC FIELD IMMUNITY TEST (RS) .....</b> |                                     | <b>34</b> |
| 1                                                                     | TEST INSTRUMENTS & FACILITIES ..... | 34        |
| 2                                                                     | TEST PROCEDURE.....                 | 34        |
| 3                                                                     | TEST SETUP .....                    | 35        |
| 4                                                                     | CONFIGURATION OF THE EUT.....       | 36        |
| 5                                                                     | OPERATION CONDITION OF EUT .....    | 36        |
| 6                                                                     | TEST CONDITION.....                 | 36        |
| 7                                                                     | PERFORMANCE CRITERIA .....          | 36        |
| 8                                                                     | TEST RESULT .....                   | 37        |
| <b>ELECTRICAL FAST TRANSIENT/BURST IMMUNITY TEST (EFT) .....</b>      |                                     | <b>38</b> |
| 1                                                                     | TEST INSTRUMENTS & FACILITIES ..... | 38        |
| 2                                                                     | TEST PROCEDURE.....                 | 38        |
| 3                                                                     | TEST SETUP .....                    | 38        |
| 4                                                                     | CONFIGURATION OF THE EUT.....       | 39        |
| 5                                                                     | OPERATION CONDITION OF EUT .....    | 39        |
| 6                                                                     | TEST CONDITION.....                 | 39        |
| 7                                                                     | PERFORMANCE CRITERIA .....          | 39        |
| 8                                                                     | TEST RESULT .....                   | 40        |
| <b>SURGE IMMUNITY TEST.....</b>                                       |                                     | <b>41</b> |
| 1                                                                     | TEST INSTRUMENTS & FACILITIES ..... | 41        |
| 2                                                                     | TEST PROCEDURE.....                 | 41        |
| 3                                                                     | TEST SETUP .....                    | 41        |
| 4                                                                     | TEST LEVELS.....                    | 42        |
| 5                                                                     | CONFIGURATION OF THE EUT.....       | 42        |
| 6                                                                     | EUT OPERATION CONDITION .....       | 42        |
| 7                                                                     | CONDITIONS DURING TESTING.....      | 42        |
| 8                                                                     | PERFORMANCE CRITERIA .....          | 43        |
| 9                                                                     | TEST RESULT .....                   | 43        |
| <b>IMMUNITY TEST TO RF CONDUCTED DISTURBANCE.....</b>                 |                                     | <b>44</b> |




|                                                             |                                     |           |
|-------------------------------------------------------------|-------------------------------------|-----------|
| 1                                                           | TEST INSTRUMENTS & FACILITIES ..... | 44        |
| 2                                                           | TEST PROCEDURE.....                 | 44        |
| 3                                                           | TEST SETUP .....                    | 45        |
| 4                                                           | TEST LEVELS.....                    | 46        |
| 5                                                           | CONFIGURATION OF THE EUT.....       | 46        |
| 6                                                           | EUT OPERATION CONDITION .....       | 46        |
| 7                                                           | CONDITIONS DURING TESTING.....      | 46        |
| 8                                                           | PERFORMANCE CRITERIA .....          | 47        |
| 9                                                           | TEST RESULT .....                   | 47        |
| <b>POWER FREQUENCY MAGNETIC FIELD IMMUNITY TEST.....</b>    |                                     | <b>48</b> |
| 1                                                           | TEST INSTRUMENTS & FACILITIES ..... | 48        |
| 2                                                           | TEST STANDARD.....                  | 48        |
| 3                                                           | TEST SETUP .....                    | 48        |
| 4                                                           | TEST LEVELS.....                    | 49        |
| 5                                                           | CONFIGURATION OF THE EUT.....       | 49        |
| 6                                                           | OPERATION CONDITION OF EUT.....     | 49        |
| 7                                                           | CONDITIONS DURING TESTING.....      | 49        |
| 8                                                           | PERFORMANCE CRITERIA .....          | 49        |
| 9                                                           | TEST RESULTS .....                  | 50        |
| <b>VOLTAGE DIPS, SHORT INTERRUPTIONS IMMUNITY TEST.....</b> |                                     | <b>51</b> |
| 1                                                           | TEST INSTRUMENTS & FACILITIES ..... | 51        |
| 2                                                           | TEST PROCEDURE.....                 | 51        |
| 3                                                           | TEST SETUP .....                    | 51        |
| 4                                                           | TEST LEVELS.....                    | 52        |
| 5                                                           | CONFIGURATION OF THE EUT.....       | 52        |
| 6                                                           | EUT OPERATION CONDITION .....       | 52        |
| 7                                                           | CONDITIONS DURING TESTING.....      | 52        |
| 8                                                           | PERFORMANCE CRITERIA .....          | 52        |
| 9                                                           | TEST RESULT .....                   | 53        |
| <b>APPENDIX A</b>                                           |                                     |           |
| PHOTOS OF TEST CONFIGURATION                                |                                     |           |
| <b>APPENDIX B</b>                                           |                                     |           |
| PHOTOS OF EUT                                               |                                     |           |



### GENERAL INFORMATION

- 1 APPLICANT : SMART CABLING & TRANSMISSION CORP.
- 2 ADDRESS : 3F., No. 4, Lane 130, Min-Chung Rd.,  
Hsin-Tien City, Taipei Hsien, Taiwan, R. O. C.
- 3 MANUFACTURER : SMART CABLING & TRANSMISSION CORP.
- 4 ADDRESS : 3F., No. 4, Lane 130, Min-Chung Rd.,  
Hsin-Tien City, Taipei Hsien, Taiwan, R. O. C.
- 5 DESCRIPTION OF EUT :
  - EUT : Video Distributor & Amplifier
  - Model : CD102XX
  - Serial # : N/A
  - Data Cable : N/A

5.1 The difference between series of models CD102XX is shown as below:



The worst case of EMC test model is CD102 and the final test data were shown in this test report.



## 6 FEATURES OF EUT :

### **Model No. CD102**

|     |                      |                          |
|-----|----------------------|--------------------------|
| 6.1 | Video Input Channel  | 1                        |
| 6.2 | Video Output Channel | 2                        |
| 6.3 | Video Input Level    | 0.8~1.2Vp-p, 75ohms      |
| 6.4 | Video Output Level   | 1Vp-p (Standard), 75ohms |
| 6.5 | Video Bandwidth      | 10Hz ~ 10MHz             |
| 6.6 | Power Supply         | DC 12V                   |
| 6.7 | Power Consumption    | 100mA                    |
| 6.8 | Material             | ABS Black                |



HomeTek Technology Inc.

## **MODIFICATION LIST**

THE FOLLOWING ACCESSORIES WERE ADDED TO THE EUT DURING TESTING :

NO MODIFICATION BY HOMETEK TECHNOLOGY INC.

## CONDUCTED POWER LINE TEST

### 1 TEST INSTRUMENTS & FACILITIES

The following test Instruments was used during the conducted test :

| Item | Instruments/<br>Facilities | Specification                   | Manufacturer       | Model #                     | Date Of<br>Cal. |
|------|----------------------------|---------------------------------|--------------------|-----------------------------|-----------------|
| 1    | EMI Receiver               | 9KHz ~ 30MHz                    | ROHDE &<br>SCHWARZ | ESHS 30<br>844827/007       | MAR/2004        |
| 2    | LISN<br>(for EUT)          | 50 /50uH/100A<br>150KHz ~ 30MHz | SCHWARZ<br>BECK    | NNLK 8121<br>8121370        | OCT/2003        |
| 3    | LISN<br>(for Support Unit) | 50 /50uH/10A<br>9KHz ~ 30MHz    | ROHDE &<br>SCHWARZ | ESH3-Z5<br>846128/007       | FEB/2004        |
| 4    | Terminator                 | 50                              | N/A                | N/A                         | NOV/2003        |
| 5    | Attenuation                | 50 /10dB                        | Mini-Circuit       | NAT-10<br>AT-002            | JUL/2003        |
| 6    | Cable                      | 3m                              | SUHNER             | RG-223<br>CON2-001          | DEC/2003        |
| 7    | ESXS-K1<br>(software)      | Version 2.03b<br>9KHz ~ 30MHz   | ROHDE &<br>SCHWARZ | 1082.9678.02<br>840.913/246 | N/A             |


Note : Items 1 ~ 6 were calibrated within period of 1 year.

### 2 TEST PROCEDURE

- 2.1 The EUT was tested according to **EN 55013**.
- 2.2 The EUT was placed 0.4 meter from the conducting wall of shielding room and kept at least 0.8 meter from any other grounded conducting surface.
- 2.3 The frequency range form 0.15 MHz to 30 MHz was investigated.
- 2.4 The LISN used was 50 Ohm / 50 uHenry as specified by **EN 55013**.
- 2.5 All the support peripherals are connect to the other LISN.
- 2.6 Cables and peripherals were moved to find the maximum emission levels for each frequency.


### 3 TEST SETUP

#### 3.1 Typical : Setup Of Conducted Test



(Details for setup configuration, please refer to appendix A.)

### 3.2 Block Diagram Of Conducted Test



#### 4 CONFIGURATION OF THE EUT

The EUT was configured according to **EN 55013**. All I/O ports were connected to the appropriate peripherals. All peripherals and cables are listed below (including internal device) :




Figure 1



#### 4.1 EUT

EUT Type : Proto Type Engineer Type Mass Production  
Condition when received : Good Damage : \_\_\_\_\_  
Device : Video Distributor & Amplifier  
Applicant : SMART CABLING & TRANSMISSION CORP.  
Manufacturer : SMART CABLING & TRANSMISSION CORP.  
Model Number : CD102XX  
Serial Number : N/A  
FCC ID : N/A  
Data Cable1 (Video Input) : Shielded, 1.8 m, Metal Type  
Data Cable2 (Video Input) : Shielded, 10 m, Metal Type  
Data Cable3 (Video Output) : Shielded, 1.8 m, Metal Type  
Power Cord (AC) Adapter : 2 pin  
Power Cord (DC) Adapter : Un-Shielded, 1.9 m, 2 pin  
Power Supply Type : Linear Adapter

#### 4.2 PERIPHERALS

14" Monitor

Manufacturer : YOKO  
Model Number : YK-8111  
Serial Number : N/A  
FCC ID : N/A  
Data Cable : Shielded, 1.8 m  
Power Cord : Un-Shielded, 1.8 m



12" Monitor

Manufacturer : YOKO  
Model Number : YK-8102  
Serial Number : N/A  
FCC ID : N/A  
Data Cable : Shielded, 1.8 m  
Power Cord : Un-Shielded, 1.8 m

Video Amplifier

Manufacturer : SMART CABLING  
Model Number : CA101  
Serial Number : N/A  
FCC ID : N/A  
Data Cable : Shielded, 1.8 m  
Power Cord : Un-Shielded, 1.9 m

Power Adapter

Manufacturer : JELEC  
Model Number : YAD-1200500E  
Serial Number : N/A  
FCC ID : N/A  
Data Cable : N/A  
Power Cord : Un-Shielded, 1.9 m



Pattern Generator (Remote Site)

Manufacturer : LEADER  
Model Number : 408  
Serial Number : 3037775  
FCC ID : FCC DoC  
Data Cable : Shielded, 10m  
Power Cord : Un-Shielded, 1.8 m

4.3 REMARK : N/A

## 5 EUT OPERATING CONDITION

- 5.1 The operation frequency of the EUT is 10Hz ~ 10MHz.
- 5.2 Configure the EUT according to the **EN 55013**.
- 5.3 Turn on all the power of EUT and peripheral.
- 5.4 Remote pattern generator send 1KHz audio and color bar signal to EUT.
- 5.5 Monitor the output signal of EUT during the test. (For EMS testing)
- 5.6 The photos of conducted test configuration, please refer to appendix A.**

## 6 LIMIT OF CONDUCTED POWER LINE EMISSION :

| Frequency Range | Quasi Peak   | Average      |
|-----------------|--------------|--------------|
| 0.15 ~ 0.5 MHz  | 66 - 56 dBuV | 56 - 46 dBuV |
| 0.5 ~ 5 MHz     | 56 dBuV      | 46 dBuV      |
| 5 ~ 30 MHz      | 60 dBuV      | 50 dBuV      |

## 7 RESULT OF CONDUCTED POWER LINE TEST

- 7.1 The frequency range from 0.15 MHz to 30 MHz was investigated. All readings are quasi-peak values and average.
- 7.2 IF bandwidth : 9 kHz, Meas Time : 1 sec.
- 7.3 Temperature : 27 , Humidity : 60 % RH.
- 7.4 Deviations from the test standards and rules : None
- 7.5 The conducted test result were gained by following procedures :  
 Level = Reading Level + Insertion Loss of LISN + Cable Loss  
 (All calculation were done by ESHS30 EMI test receiver.)
- 7.6 Result : **PASSED**




HomeTek EMC LAB. TEL :886-2-22608375

27 Mar 2004 14:41

CONDUCTED EMISSIONS

EUT: Video Distributor & Amplifier  
Manuf: 3C033  
Op Cond: LINE 1  
Operator: TIM  
Test Spec: FOR EN55013  
Comment: 230V/50Hz  
CD102  
Result File: 3c03311c.dat : CD102

Prescan Measurement: Detectors: X PK / + AV  
Meas Time: see scan settings  
Subranges: 16  
Acc Margin: 55 dB





HomeTek EMC LAB. TEL :886-2-22608375  
CONDUCTED EMISSIONS

27 Mar 2004 14:41

EUT: Video Distributor & Amplifier  
Manuf: 3C033  
Op Cond: LINE 1  
Operator: TIM  
Test Spec: FOR EN55013  
Comment: 230V/50Hz  
CD102  
Result File: 3c03311c.dat : CD102

Prescan Measurement: Detectors: X PK / + AV  
Meas Time: see scan settings  
Subranges: 16  
Acc Margin: 55 dB

Peak Search Results

| Frequency<br>MHz | PK Level<br>dBuV | PK Limit<br>dBuV | PK Delta<br>dB |
|------------------|------------------|------------------|----------------|
| 0.16             | 32.28            | 65.46            | 33.18          |
| 0.22             | 25.17            | 62.82            | 37.65          |
| 0.285            | 15.38            | 60.67            | 45.29          |
| 0.44             | 9.55             | 57.06            | 47.51          |
| 0.725            | 7.81             | 56.00            | 48.19          |
| 0.74             | 10.64            | 56.00            | 45.36          |
| 1.245            | 7.32             | 56.00            | 48.68          |
| 1.605            | 7.34             | 56.00            | 48.66          |
| 2.125            | 9.68             | 56.00            | 46.32          |
| 3.61             | 20.11            | 56.00            | 35.89          |
| 3.64             | 15.88            | 56.00            | 40.12          |
| 7.13             | 13.55            | 60.00            | 46.45          |
| 7.16             | 16.60            | 60.00            | 43.40          |
| 10.71            | 30.93            | 60.00            | 29.07          |
| 17.87            | 15.02            | 60.00            | 44.98          |
| 28.23            | 23.05            | 60.00            | 36.95          |

| Frequency<br>MHz | AV Level<br>dBuV | AV Limit<br>dBuV | AV Delta<br>dB |
|------------------|------------------|------------------|----------------|
| 0.16             | 30.37            | 55.46            | 25.09          |
| 0.22             | 23.35            | 52.82            | 29.47          |
| 0.315            | 9.77             | 49.84            | 40.07          |
| 0.44             | 0.43             | 47.06            | 46.63          |
| 0.725            | 1.20             | 46.00            | 44.80          |
| 0.74             | 4.73             | 46.00            | 41.27          |
| 1.28             | -1.91            | 46.00            | 47.91          |
| 1.92             | -1.36            | 46.00            | 47.36          |
| 2.3              | 1.82             | 46.00            | 44.18          |
| 3.61             | 13.97            | 46.00            | 32.03          |
| 3.645            | 9.50             | 46.00            | 36.50          |
| 5.05             | 6.13             | 50.00            | 43.87          |
| 7.16             | 8.47             | 50.00            | 41.53          |
| 10.74            | 17.46            | 50.00            | 32.54          |
| 17.89            | 9.62             | 50.00            | 40.38          |
| 28.15            | 20.52            | 50.00            | 29.48          |

\* limit exceeded




HomeTek EMC LAB. TEL :886-2-22608375

27 Mar 2004 14:47

CONDUCTED EMISSIONS

EUT: Video Distributor & Amplifier  
Manuf: 3C033  
Op Cond: LINE 2  
Operator: TIM  
Test Spec: FOR EN55013  
Comment: 230V/50Hz  
CD102  
Result File: 3c03321c.dat : CD102

Prescan Measurement: Detectors: X PK / + AV  
Meas Time: see scan settings  
Subranges: 16  
Acc Margin: 55 dB





HomeTek EMC LAB. TEL :886-2-22608375  
CONDUCTED EMISSIONS

27 Mar 2004 14:47

EUT: Video Distributor & Amplifier  
Manuf: 3C033  
Op Cond: LINE 2  
Operator: TIM  
Test Spec: FOR EN55013  
Comment: 230V/50Hz  
CD102  
Result File: 3c03321c.dat : CD102

Prescan Measurement: Detectors: X PK / + AV  
Meas Time: see scan settings  
Subranges: 16  
Acc Margin: 55 dB

Peak Search Results

| Frequency<br>MHz | PK Level<br>dBuV | PK Limit<br>dBuV | PK Delta<br>dB |
|------------------|------------------|------------------|----------------|
| 0.16             | 32.30            | 65.46            | 33.16          |
| 0.22             | 25.31            | 62.82            | 37.51          |
| 0.285            | 15.98            | 60.67            | 44.69          |
| 0.505            | 8.15             | 56.00            | 47.85          |
| 0.725            | 10.05            | 56.00            | 45.95          |
| 0.74             | 10.40            | 56.00            | 45.60          |
| 1.07             | 7.50             | 56.00            | 48.50          |
| 1.75             | 8.06             | 56.00            | 47.94          |
| 2.575            | 13.98            | 56.00            | 42.02          |
| 3.61             | 20.11            | 56.00            | 35.89          |
| 3.64             | 16.39            | 56.00            | 39.61          |
| 7.13             | 15.41            | 60.00            | 44.59          |
| 7.19             | 17.59            | 60.00            | 42.41          |
| 10.71            | 25.90            | 60.00            | 34.10          |
| 17.89            | 11.76            | 60.00            | 48.24          |
| 26.04            | 23.04            | 60.00            | 36.96          |

| Frequency<br>MHz | AV Level<br>dBuV | AV Limit<br>dBuV | AV Delta<br>dB |
|------------------|------------------|------------------|----------------|
| 0.16             | 30.47            | 55.46            | 24.99          |
| 0.22             | 23.40            | 52.82            | 29.42          |
| 0.315            | 9.77             | 49.84            | 40.07          |
| 0.44             | 0.60             | 47.06            | 46.46          |
| 0.725            | 1.43             | 46.00            | 44.57          |
| 0.74             | 4.84             | 46.00            | 41.16          |
| 1.26             | -1.38            | 46.00            | 47.38          |
| 1.92             | -1.31            | 46.00            | 47.31          |
| 2.3              | 1.69             | 46.00            | 44.31          |
| 3.61             | 14.48            | 46.00            | 31.52          |
| 3.645            | 9.62             | 46.00            | 36.38          |
| 7.14             | 6.22             | 50.00            | 43.78          |
| 7.16             | 9.84             | 50.00            | 40.16          |
| 10.74            | 14.35            | 50.00            | 35.65          |
| 17.89            | 6.30             | 50.00            | 43.70          |
| 26.15            | 19.93            | 50.00            | 30.07          |

\* limit exceeded



## **RADIATED EMISSION TEST**

### **1 TEST PROCEDURE**

According to **EN 55013**.

### **2 RESULT OF RADIATED EMISSION TEST**

N/A (This standard is not applicable to this EUT ( Model : CD102)).



## **DISTURBANCE VOLTAGE AT THE ANTENNA TERMINALS TEST**

### **1 TEST PROCEDURE**

According to **EN 55013**.

### **2 RESULT OF DISTURBANCE VOLTAGE AT THE ANTENNA TERMINALS TEST**

N/A (This standard is not applicable to this EUT ( Model : CD102)).



## CLAMP EMISSION TEST

### 1 TEST INSTRUMENTS & FACILITIES

The following test Instruments was used during the radiated emission test :

| Item | Instruments /facilities | Specification     | Manufacturer    | Model # / S/N#    | Location        | Date of Cal. |
|------|-------------------------|-------------------|-----------------|-------------------|-----------------|--------------|
| 1    | Clamp Test Site         | 30MHz ~ 300MHz/6m | HomeTek         | Clamp #1          | Clamp Test Site | N/A          |
| 2    | EMI TEST RECEIVER       | 30MHz ~ 1GHz      | ROHDE & SCHWARZ | ESVS10 845165/017 | Clamp Test Site | SEP/2003     |
| 3    | RF SPECTRUM ANALYZER    | N/A               | HEWLETT PACKARD | 8591E 3710A06158  | Clamp Test Site | MAY/2003     |
| 4    | PRE-AMPLIFIER           | 100KHz ~ 1.3GHz   | HP              | 8447D 1937A03120  | Clamp Test Site | MAR/2004     |
| 5    | ABSORBING CLAMP         | 30MHz ~ 300MHz    | ROHED & SCHWARZ | MDS21 845061/004  | Clamp Test Site | DEC/2003     |
| 6    | EMI 32 (software)       | N/A               | AUDIX           | 19991013-0923     |                 | N/A          |

Note : Items 2 ~ 5 upon which need to calibrated are with period of 1 year.



## 2 TEST PROCEDURE

2.1 The EUT was test according to **EN 55013**.

2.2 The disturbance power test was performed at HomeTek Lab' s CLAMP Test Site .



2.3 The frequency range from 30 MHz to 300 MHz, the measurement were made with absorbing clamp.

2.4 The EUT were investigated with all signal cables individually as below:

- Video Input toward EUT cable;
- Video Input toward support unit cable;
- Video output toward EUT cable;
- Video output toward support unit cable;
- AC power toward EUT cable;
- DC power toward EUT cable;
- DC power toward support unit cable

and the worst case of test data were shown in this test report.

### 3 TEST SETUP



(Details for setup configuration, please refer to appendix A.)

AC Power

4 CONFIGURATION OF THE EUT

Same as “Conducted Power Line test”, section 4

5 EUT OPERATING CONDITION

5.1 Same as “Conducted Power Line test”, section 5

5.2 The photos of clamp emission test configuration, please refer to appendix A.

6 LIMIT OF CLAMP EMISSION TEST :

| Frequency<br>(MHz) | Limit Values (dBpW) |         |
|--------------------|---------------------|---------|
|                    | QP                  | AV      |
| 30 – 300           | 45 - 55             | 35 - 45 |
| 300 – 1000         | N/A                 | N/A     |

7 RESULT OF CLAMP EMISSION TEST

7.1 The frequency range from 30 MHz to 300 MHz, the measurement were made with absorbing clamp.

7.2 The disturbance power test was performed at HomeTek Lab’ s CLAMP Test Site .

7.3 Temperature : 23 , Humidity : 55 % RH.

7.4 Test Mode : **Video Input toward EUT cable**

7.5 The clamp emission result were gained by the following method :

Level = Reading Level + Probe Factor (Antenna Factor) + Cable Loss – Preamp Factor

Over Limit = Level – Limit Line

7.6 The clamp mission test was passed at minimum margin :

90.48 MHz/ 28.43 dBuV/m, Antenna Height 2.0 Meter,

The Mode : Video Input toward EUT cable, Model : CD102.


7.7 Result : **PASSED**



HomeTek Technology Inc.

No 67-9, Shi-Men Rd., Tu-Chen City, Taipei County, Taiwan R.O.C  
Tel: 02-22608375  
Fax: 02-22748013

Data#: 11 File#: 3c033.emi Date: 2004-03-23 Time: 13:50:46



HomeTek Technology Inc. (HomeTek Technology)

Trace: 7

Ref Trace:

Condition: EN55013 QP MDS-21 120403  
eut : Video Distributor & Amplifier  
power: 230V/50Hz  
memo : CD102 Video Input Toward EUT

| Page: |         |       |            |            |            |              |            |               |         |
|-------|---------|-------|------------|------------|------------|--------------|------------|---------------|---------|
|       | Freq    | Level | Over Limit | Limit Line | Read Level | Probe Factor | Cable Loss | Preamp Factor | Remarks |
|       | MHz     | dBuV  | dB         | dBuV       | dBuV       | dB           | dB         | dB            |         |
| 1     | 30.000  | 20.46 | -24.54     | 45.00      | 44.54      | 2.40         | 1.42       | 27.90         | Peak    |
| 2     | 58.080  | 17.26 | -28.78     | 46.04      | 44.63      | -1.65        | 2.00       | 27.72         | Peak    |
| 3     | 90.480  | 28.43 | -18.81     | 47.24      | 55.40      | -1.71        | 2.52       | 27.79         | Peak    |
| 4     | 96.690  | 20.23 | -27.24     | 47.47      | 47.26      | -1.83        | 2.60       | 27.80         | Peak    |
| 5     | 111.540 | 17.50 | -30.52     | 48.02      | 44.17      | -1.78        | 2.82       | 27.70         | Peak    |
| 6     | 120.180 | 22.17 | -26.17     | 48.34      | 48.58      | -1.71        | 2.94       | 27.64         | Peak    |
| 7     | 153.930 | 16.00 | -33.59     | 49.59      | 42.05      | -1.96        | 3.34       | 27.43         | Peak    |
| 8     | 175.530 | 14.44 | -35.95     | 50.39      | 40.10      | -1.90        | 3.55       | 27.31         | Peak    |
| 9     | 187.680 | 11.88 | -38.96     | 50.84      | 37.17      | -1.70        | 3.66       | 27.25         | Peak    |

## HARMONICS TEST


### 1 TEST INSTRUMENTS & FACILITIES

| Instruments/<br>facilities              | Manufacturer | Model #<br>Serial # | Date of Cal. |
|-----------------------------------------|--------------|---------------------|--------------|
| HARMONICS/ VOLTAGE<br>FLUCTUATIONS TEST | EMC-PARTNER  | HAR1000-1P          | OCT/2003     |
| CONTROL PC                              | KB TECH      | KB P586/133         | N/A          |

### 2 TEST PROCEDURE

According to **EN 61000-3-2 (2000) Class A**

### 3 TEST SETUP



(Details for setup configuration, please refer to appendix A.)

### 4 CONFIGURATION OF THE EUT

Same as “Conducted Power Line test”, section 4

### 5 OPERATION CONDITION OF EUT

Same as “Conducted Power Line test”, section 5

### 6 TEST DATA & LIMIT

6.1 Temperature : 27

6.2 Humidity : 60 % RH

### 7 Photos of test configuration please refer to appendix A.



(3C033-H)

HOMETEK EMC LAB

Date : 2004/3/18 01:11:30 P V2.05

File :

Operator : TIM  
 Unit : Video Distributor & Amplifier  
 Serialnumber : CD102  
 Remarks : 3C033

Urms = 229.5V Freq = 50.000 Range: 0.25 A  
 Irms = 0.033A Ipk = 0.074A cf = 2.233  
 P = 2.644W Pap = 7.565VA pf = 0.350  
 THDi = 45.1 % THDu = 0.10 % Class A

Test - Time : 15min ( 100 %)

Test completed, Result: PASSED

| Order | Freq.<br>[Hz] | Imax<br>[A] | Imax%L<br>[%] | Limit<br>[A] | Status |
|-------|---------------|-------------|---------------|--------------|--------|
| 1     | 50            | 0.0294      |               |              |        |
| 2     | 100           | 0.0003      | 0.0733        | 1.0800       |        |
| 3     | 150           | 0.0126      | 2.7533        | 2.3000       |        |
| 4     | 200           | 0.0002      | 0.0333        | 0.4300       |        |
| 5     | 250           | 0.0077      | 1.6767        | 1.1400       |        |
| 6     | 300           | 0.0001      | 0.0133        | 0.3000       |        |
| 7     | 350           | 0.0006      | 0.1267        | 0.7700       |        |
| 8     | 400           | 0.0000      | 0.0199        | 0.2300       |        |
| 9     | 450           | 0.0018      | 0.3967        | 0.4000       |        |
| 10    | 500           | 0.0000      | 0.0166        | 0.1840       |        |
| 11    | 550           | 0.0002      | 0.0533        | 0.3300       |        |
| 12    | 600           | 0.0000      | 0.0100        | 0.1533       |        |
| 13    | 650           | 0.0004      | 0.1744        | 0.2100       |        |
| 14    | 700           | 0.0000      | 0.0116        | 0.1314       |        |
| 15    | 750           | 0.0003      | 0.1933        | 0.1500       |        |
| 16    | 800           | 0.0000      | 0.0133        | 0.1150       |        |
| 17    | 850           | 0.0002      | 0.1153        | 0.1324       |        |
| 18    | 900           | 0.0000      | 0.0000        | 0.1022       |        |
| 19    | 950           | 0.0001      | 0.1031        | 0.1184       |        |
| 20    | 1000          | 0.0000      | 0.0000        | 0.0920       |        |
| 21    | 1050          | 0.0001      | 0.1139        | 0.1071       |        |
| 22    | 1100          | 0.0000      | 0.0000        | 0.0836       |        |
| 23    | 1150          | 0.0001      | 0.0936        | 0.0978       |        |
| 24    | 1200          | 0.0000      | 0.0000        | 0.0767       |        |
| 25    | 1250          | 0.0001      | 0.0678        | 0.0900       |        |
| 26    | 1300          | 0.0000      | 0.0000        | 0.0708       |        |



(3C033-H)

|    |      |        |        |        |
|----|------|--------|--------|--------|
| 27 | 1350 | 0.0001 | 0.0732 | 0.0833 |
| 28 | 1400 | 0.0000 | 0.0000 | 0.0657 |
| 29 | 1450 | 0.0000 | 0.0590 | 0.0776 |
| 30 | 1500 | 0.0000 | 0.0000 | 0.0613 |
| 31 | 1550 | 0.0000 | 0.0631 | 0.0726 |
| 32 | 1600 | 0.0000 | 0.0000 | 0.0575 |
| 33 | 1650 | 0.0000 | 0.0448 | 0.0682 |
| 34 | 1700 | 0.0000 | 0.0000 | 0.0541 |
| 35 | 1750 | 0.0000 | 0.0475 | 0.0643 |
| 36 | 1800 | 0.0000 | 0.0000 | 0.0511 |
| 37 | 1850 | 0.0000 | 0.0502 | 0.0608 |
| 38 | 1900 | 0.0000 | 0.0000 | 0.0484 |
| 39 | 1950 | 0.0000 | 0.0529 | 0.0577 |
| 40 | 2000 | 0.0000 | 0.0000 | 0.0460 |

## VOLTAGE FLUCTUATIONS TEST


### 1 TEST INSTRUMENTS & FACILITIES

| Instruments/<br>facilities              | Manufacturer | Model #<br>Serial # | Date of Cal. |
|-----------------------------------------|--------------|---------------------|--------------|
| HARMONICS/ VOLTAGE<br>FLUCTUATIONS TEST | EMC-PARTNER  | HAR1000-1P          | OCT/2003     |
| CONTROL PC                              | KB TECH      | KB P586/133         | N/A          |

### 2 TEST PROCEDURE

According to **EN 61000-3-3 (1995) + A1 (2001)**

### 3 TEST SETUP



(Details for setup configuration, please refer to appendix A.)

### 4 CONFIGURATION OF THE EUT

Same as “Conducted Power Line test”, section 4

### 5 OPERATION CONDITION OF EUT

Same as “Conducted Power Line test”, section 5

### 6 TEST DATA & LIMIT

6.1 Temperature : 27

6.2 Humidity : 60 % RH

### 7 Photos of test configuration please refer to appendix A.



(3C033-F)

HOMETEK EMC LAB

Date : 2004/3/18 01:18:18 P V2.05

File :

Operator : TIM  
 Unit : Video Distributor & Amplifier  
 Serialnumber : CD102  
 Remarks : 3C033

Urms = 229.5V Freq = 50.000 Range: 0.25 A  
 Irms = 0.033A Ipk = 0.073A cf = 2.230  
 P = 2.644W Pap = 7.565VA pf = 0.350

Test - Time : 1 x 15min = 15min ( 100 %)

LIN (Line Impedance Network) : Soft LIN 0.24 Ohm +j 0.15 Ohm N: 0.16 Ohm +j 0.10 Ohm

Limits : Plt : 0.65 Pst : 1.00  
 dmax : 4.00 % dc : 3.00 %  
 dtLim: 3.00 % dt>Lim: 200ms

Test completed, Result: PASSED

Plt = 0.072

|   | Pst   | dmax  |
|---|-------|-------|
|   |       | [%]   |
| 1 | 0.072 | 0.000 |

## ELECTROSTATIC DISCHARGE IMMUNITY TEST (ESD)

### 1 TEST INSTRUMENTS & FACILITIES


| Instruments/<br>Facilities | Manufacturer | Model #<br>Serial # | Data Of Cal. |
|----------------------------|--------------|---------------------|--------------|
| ESD TESTER                 | NOISEKEN     | ESS-100L (A)        | OCT/2003     |
| VCP                        | HOMETEK      | --                  | --           |
|                            |              |                     |              |

### 2 TEST PROCEDURE

According to **IEC 1000-4-2 (1995)**

According to **EN 61000-6-1 (2001)**

### 3 TEST SETUP



(Details for setup configuration, please refer to appendix A.)



#### 4 CONFIGURATION OF THE EUT

Same as “Conducted Power Line test”, section 4

#### 5 EUT OPERATION CONDITION

Same as “Conducted Power Line test”, section 5

#### 6 TEST CONDITION

6.1 Test Level :

(A)  $\pm 2, 4, 8$ KV for air discharge.

(B)  $\pm 2, 4$ KV for contact discharge.

6.2 Number of test : 10 Discharges / Level

6.3 Time between test : 1 sec.

6.4 Temperature : 25

6.5 Humidity : 50 % RH.

#### 7 PERFORMANCE CRITERIA

A. Normal performance within the specification.

B. Temporary degradation or loss function or performance which is self-recoverable.

C. Temporary degradation or loss function or performance which requires operator intervention system reset.

D. Degradation or loss function which is not recoverable due to damage of EUT or software, or loss of data.



## 8 TEST RESULT

| Test Point | Air Discharge | Contact Discharge | Performance Criteria | Result        |
|------------|---------------|-------------------|----------------------|---------------|
| HCP        | ± 2, 4, 8KV   | ± 2, 4KV          | A                    | <b>PASSED</b> |
| VCP        | ± 2, 4, 8KV   | ± 2, 4KV          | A                    | <b>PASSED</b> |
| CASE       | ± 2, 4, 8KV   | ± 2, 4KV          | A                    | <b>PASSED</b> |
| I/O PORTS  | ± 2, 4, 8KV   | ± 2, 4KV          | A                    | <b>PASSED</b> |
| LED        | ± 2, 4, 8KV   | ± 2, 4KV          | A                    | <b>PASSED</b> |
| DC SOCKET  | ± 2, 4, 8KV   | ± 2, 4KV          | A                    | <b>PASSED</b> |

## 9 Photos of test configuration please refer to appendix A.



## RADIO FREQUENCY ELECTROMAGNETIC FIELD IMMUNITY TEST (RS)

### 1 TEST INSTRUMENTS & FACILITIES

| Item | Instruments<br>Facilities | Manufacturer          | Model #<br>Serial # | Data Of Cal. |
|------|---------------------------|-----------------------|---------------------|--------------|
| 1    | SIGNAL<br>GENERATOR       | ROHDE &<br>SCHWARZ    | SMY02<br>845181/025 | MAR/2004     |
| 2    | AMPLIFIER                 | AMPLIFIER<br>RESEARCH | 100W1000M1A         | N/A          |
| 3    | FIELD SENSOR              | AMPLIFIER<br>RESEARCH | FP2000              | AUG/2002     |
| 4    | FIELD MONITOR             | AMPLIFIER<br>RESEARCH | FM2000              | AUG/2002     |
| 5    | RF VOLTMETER              | BOONTON               | 9200C<br>361701AA   | MAR/2004     |
| 6    | RF PROBE                  | BOONTON               | 952001B<br>37082    | MAR/2004     |
| 7    | DIRECTION<br>COUPLER      | AMPLIFIER<br>RESEARCH | DC6180<br>20521     | N/A          |
| 8    | ANTENNA                   | EMCO                  | 3142B<br>S/N: 1789  | N/A          |
| 9    | CONTROL<br>PC             | KB TECH               | KB P586/133         | --           |

Note : Items 3 ~ 4 were calibrated with two years and verified before testing.


### 2 TEST PROCEDURE

According to **IEC 61000-4-3 (1995)**

According to **EN 61000-6-1 (2001)**

### 3 TEST SETUP

#### FERRITE TILE



#### 3.1 Chamber Size :

12M x 5M x 5M

(Details for setup configuration, please refer to appendix A.)

#### 4 CONFIGURATION OF THE EUT

Same as “Conducted Power Line test”, section 4

#### 5 OPERATION CONDITION OF EUT

Same as “Conducted Power Line test”, section 5

#### 6 TEST CONDITION

6.1 Frequency Range : 80 MHz ~ 1000 MHz

6.2 Field Strength : 3 V / M (1KHz 80% Modulation)

6.3 Frequency Step : 1 %

6.4 Antenna Polarity : HORIZONTAL & VERTICAL

6.5 The four sides of EUT are tested  
(FRONT, REAR, RIGHT, LEFT)

6.6 Temperature : 20

6.7 Humidity : 72 % RH

#### 7 PERFORMANCE CRITERIA

- A. Normal performance within the specification.
- B. Temporary degradation or loss function or performance which is self-recoverable.
- C. Temporary degradation or loss function or performance which requires operator intervention system reset.
- D. Degradation or loss function which is not recoverable due to damage of EUT or software, or loss of data.

## 8 TEST RESULT

| ANT<br>SIDE | HORIZONTAL | VERTICAL | RESULT        |
|-------------|------------|----------|---------------|
| FRONT       | A          | A        | <b>PASSED</b> |
| REAR        | A          | A        | <b>PASSED</b> |
| RIGHT       | A          | A        | <b>PASSED</b> |
| LEFT        | A          | A        | <b>PASSED</b> |

**9 Photos of test configuration please refer to appendix A.**

## ELECTRICAL FAST TRANSIENT/BURST IMMUNITY TEST (EFT)

### 1 TEST INSTRUMENTS & FACILITIES


| Instruments/<br>Facilities | Manufacturer | Model #<br>Serial # | Data Of Cal. |
|----------------------------|--------------|---------------------|--------------|
| BURST-TESTER               | HAEFELY      | PEFT/JUNIOR         | FEB/2004     |
| CONTROL PC                 | KB TECH      | KB P586/133         | --           |
|                            |              |                     |              |

### 2 TEST PROCEDURE

According to **IEC 61000-4-4 (1995)**

According to **EN 61000-6-1 (2001)**

### 3 TEST SETUP



GROUND PLANE

(Details for setup configuration, please refer to appendix A.)

#### 4 CONFIGURATION OF THE EUT

Same as “Conducted Power Line test”, section 4

#### 5 OPERATION CONDITION OF EUT

Same as “Conducted Power Line test”, section 5

#### 6 TEST CONDITION

6.1 Pulse Rise time & Duration : 5 nS / 50 nS

6.2 Pulse Repetition : 5 kHz

6.3 Polarity : POSITIVE / NEGATIVE

6.4 Test Voltage of Power Line :  $\pm 0.5\text{KV}$ ,  $\pm 1\text{KV}$

6.5 Coupling of power line :  
L, N, L+N

6.6 Test Voltage of Signal Control Line :  $\pm 0.25\text{KV}$ ,  $\pm 0.5\text{KV}$

6.7 Temperature : 27

6.8 Humidity : 60 % RH

#### 7 PERFORMANCE CRITERIA

- A. Normal performance within the specification.
- B. Temporary degradation or loss function or performance which is self-recoverable.
- C. Temporary degradation or loss function or performance which requires operator intervention system reset.
- D. Degradation or loss function which is not recoverable due to damage of EUT or software, or loss of data.

## 8 TEST RESULT

Power Line :

| TEST VOLTAGE | L | N | L+N |
|--------------|---|---|-----|
| ± 0.5KV      | A | A | A   |
| ± 1KV        | A | A | A   |

Signal Control Line :

| TEST VOLTAGE | PERFORMACE CRITERIA |
|--------------|---------------------|
| ± 0.25KV     | A                   |
| ± 0.5KV      | A                   |

8.1 Model : CD102

8.2 Final Result : PASSED

8.3 Remark :

## 9 Photos of test configuration please refer to appendix A.

## SURGE IMMUNITY TEST

### 1 TEST INSTRUMENTS & FACILITIES


| Instruments/<br>Facilities | Manufacturer | Model #<br>Serial #      | Data Of Cal. |
|----------------------------|--------------|--------------------------|--------------|
| SURGER-TESTER              | HAEFELY      | PSURGE 4010<br>583334-38 | FEB/2004     |
| CONTROL PC                 | KB TECH      | KB P586/133              | --           |
|                            |              |                          |              |

### 2 TEST PROCEDURE

According to **IEC 61000-4-5 (1995)**

According to **EN 61000-6-1 (2001)**

### 3 TEST SETUP



(Details for setup configuration, please refer to appendix A.)



#### 4 TEST LEVELS

- Input and Output AC Power Ports.
- DC Input and DC Output Power Ports.

| Environmental Phenomena | Test Specification |       | Units               | Performance Criteria |
|-------------------------|--------------------|-------|---------------------|----------------------|
|                         | AC                 | DC    |                     |                      |
| Surges                  | 1.2 / 50 (8/20)    |       | Tr /Th us           |                      |
| Line to Line            | ± 1                | ± 0.5 | KV (Charge Voltage) | B                    |

#### 5 CONFIGURATION OF THE EUT

Same as “Conducted Power Line test”, section 4

#### 6 EUT OPERATION CONDITION

Same as “Conducted Power Line test”, section 5

#### 7 CONDITIONS DURING TESTING

7.1 Coupling of power line :

(A) Line to Line ± 1KV (AC) or ± 0.5KV (DC)

7.2 Polarity : POSITIVE / NEGATIVE

7.3 Phase shifting in a range between 0 ° to 360 °

7.4 Repetion rate at least 1 per min

7.5 Temperature : 22 (15 ~ 35 )

Humidity : 70 % RH.(10 % ~ 75%)



## 8 PERFORMANCE CRITERIA

- A. Normal performance within the specification limits.
- B. Temporary degradation or loss of function or performance which is self-recoverable.
- C. Temporary degradation or loss of function or performance which requires operator intervention or system reset.
- D. Degradation or loss of function which is not recoverable due to damage of equipment (components).

## 9 TEST RESULT

| Environmental Phenomena | Test Specification | Units               | Performance |
|-------------------------|--------------------|---------------------|-------------|
| Line to Line            | $\pm 1$            | KV (Charge Voltage) | A           |

9.1 Model : CD102

9.2 Final Result : PASSED

9.3 Remark :



## IMMUNITY TEST TO RF CONDUCTED DISTURBANCE

### 1 TEST INSTRUMENTS & FACILITIES


| Instruments/<br>Facilities     | Manufacturer          | Model #<br>Serial #    | Date Of Cal. |
|--------------------------------|-----------------------|------------------------|--------------|
| SIGNAL<br>GENERATOR            | ROHDE & SCHWARZ       | SMY02<br>845181/025    | MAR/2004     |
| AMPLIFIER                      | AMPLIFIER<br>RESEARCH | 75A250<br>25680        | N/A          |
| RF VOLTMETER                   | BOONTON               | 9200C<br>361701AA      | MAR/2004     |
| RF PROBE                       | BOONTON               | 952001B<br>37082       | MAR/2004     |
| DIRECTION<br>COUPLER           | AMPLIFIER<br>RESEARCH | DC2600<br>20508        | N/A          |
| COUPLING DECOUPLING<br>NETWORK | FCC                   | FCC-801-M3-25A<br>9993 | FEB/2004     |
| CONTROL<br>PC                  | KB TECH               | KB P586/133            | --           |

### 2 TEST PROCEDURE

According to **IEC 61000-4-6 (1996)**

According to **EN 61000-6-1 (2001)**

### 3 TEST SETUP



(Details for setup configuration, please refer to appendix A.)

#### 4 TEST LEVELS

- Ports for signal lines and control lines.
- DC input and DC output power ports.
- Input and Output AC Power Ports.
- Functional earth Ports.

| Environmental   | Test Specification | Units       | Performance |
|-----------------|--------------------|-------------|-------------|
| Radio-frequency | 0.15 - 80          | MHz         |             |
| Common mode     | 3                  | V           | A           |
|                 | 80                 | % AM (1KHz) |             |

#### 5 CONFIGURATION OF THE EUT

Same as “Conducted Power Line test”, section 4

#### 6 EUT OPERATION CONDITION

Same as “Conducted Power Line test”, section 5

#### 7 CONDITIONS DURING TESTING

7.1 The EUT tested type :

- Single unit
- Multiple unit

7.2 Dwell time : < 1%

7.3 Temperature : 24 (15 ~ 35 )  
 Humidity : 72 % RH.(10 % ~ 75%)



## 8 PERFORMANCE CRITERIA

- A. Normal performance within the specification limits.
- B. Temporary degradation or loss of function or performance which is self-recoverable.
- C. Temporary degradation or loss of function or performance which requires operator intervention or system reset.
- D. Degradation or loss of function which is not recoverable due to damage of equipment (components).

## 9 TEST RESULT

| TEST Specification | Unit        | Performance Criteria |
|--------------------|-------------|----------------------|
| 0.15 - 80          | MHz         | A                    |
| 3                  | V           |                      |
| 80                 | % AM (1KHz) |                      |

9.1 Model : CD102

9.2 Final Result : PASSED

9.3 Remark :

## POWER FREQUENCY MAGNETIC FIELD IMMUNITY TEST

### 1 TEST INSTRUMENTS & FACILITIES


| Instruments/<br>Facilities        | Manufacturer | Model #<br>Serial #     | Data Of Cal. |
|-----------------------------------|--------------|-------------------------|--------------|
| LINE INTERFERENCE TESTER          | HAEFELY      | PLINE 1610<br>080166-10 | MAR/2004     |
| MAGNETIC FIELD TESTER             | HAEFELY      | MAG 100.1<br>080206-01  | N/A          |
| TRIAXIAL ELF MAGNETIC FIELD METER | F.W.BELL     | 4080<br>9645            | MAY/2003     |
| CONTROL PC                        | KB TECH      | KB P586/133             | --           |

### 2 TEST STANDARD

According to **IEC 61000-4-8 (1993)**

According to **EN 61000-6-1 (2001)**

### 3 TEST SETUP



S: Insulating support

A: Safety earth

GRP: Ground plane

(Details for setup configuration, please refer to appendix A.)

#### 4 TEST LEVELS

| Environmental Phenomena | Test Specification | Units | Performance Criteria |
|-------------------------|--------------------|-------|----------------------|
| Power Frequency         | 50                 | HZ    |                      |
| Magnetic Field          | 3                  | A/m   | A                    |

#### 5 CONFIGURATION OF THE EUT

Same as “Conducted Power Line test”, section 4

#### 6 OPERATION CONDITION OF EUT

Same as “Conducted Power Line test”, section 5

#### 7 CONDITIONS DURING TESTING

7.1 Temperature : 21 (15 ~ 35 )  
 Humidity : 72 % RH.(25 % ~ 75%)

7.2 The induction coil shall be rotated by 90 °

#### 8 PERFORMANCE CRITERIA

- A. Normal performance within the specification limits.
- B. Temporary degradation or loss of function or performance which is self-recoverable.
- C. Temporary degradation or loss of function or performance which requires operator intervention or system reset.
- D. Degradation or loss of function which is not recoverable due to damage of equipment (components).



## 9 TEST RESULTS

| Environmental Phenomena | Test Specification | Units | Performance Criteria |
|-------------------------|--------------------|-------|----------------------|
| Magnetic Field          | 3                  | A/m   | A                    |

9.1 Model : CD102

9.2 Final Results : PASSED

9.3 Remark :

## VOLTAGE DIPS, SHORT INTERRUPTIONS IMMUNITY TEST

### 1 TEST INSTRUMENTS & FACILITIES


| Instruments/<br>Facilities   | Manufacturer | Model #<br>Serial #     | Data Of Cal. |
|------------------------------|--------------|-------------------------|--------------|
| LINE INTERFERENCE<br>-TESTER | HAEFELY      | PLINE 1610<br>080166-10 | MAR/2004     |
| CONTROL PC                   | KB TECH      | KB P586/133             | --           |
|                              |              |                         |              |

### 2 TEST PROCEDURE

According to **IEC 61000-4-11 (1994)**

According to **EN 61000-6-1 (2001)**

### 3 TEST SETUP



(Details for setup configuration, please refer to appendix A.)



#### 4 TEST LEVELS

Input and Output AC Power Ports.

- Voltage Dips.
- Voltage Interruptions.

| Environmental Phenomena | Test Specification | Units             | Perform Criteria |
|-------------------------|--------------------|-------------------|------------------|
| Voltage Dips            | 30<br>10           | % Reduction<br>ms | B                |
|                         | 60<br>100          | % Reduction<br>ms | C                |
| Voltage Interruptions   | > 95 %<br>5000     | % Reduction<br>ms | C                |

#### 5 CONFIGURATION OF THE EUT

Same as “Conducted Power Line test”, section 4

#### 6 EUT OPERATION CONDITION

Same as “Conducted Power Line test”, section 5

#### 7 CONDITIONS DURING TESTING

7.1 Temperature : 24 (15 ~ 35 )

Humidity : 72 % RH.(25 % ~ 75%)

#### 8 PERFORMANCE CRITERIA

- A. Normal performance within the specification limits.
- B. Temporary degradation or loss of function or performance which is self-recoverable.
- C. Temporary degradation or loss of function or performance which requires operator intervention or system reset.
- D. Degradation or loss of function which is not recoverable due to damage of equipment (components).



## 9 TEST RESULT

| Environmental Phenomena | Test Specification | Units       | Perform Criteria |
|-------------------------|--------------------|-------------|------------------|
| Voltage Dips            | 30                 | % Reduction | A                |
|                         | 10                 | ms          |                  |
|                         | 60                 | % Reduction | C                |
| 100                     | ms                 |             |                  |
| Voltage Interruptions   | > 95 %             | % Reduction | C                |
|                         | 5000               | ms          |                  |

9.1 Model : CD102

9.2 Final Results : PASSED

9.3 Remark :



HomeTek Technology Inc.

## **Appendix A**


### **PHOTOS OF TEST CONFIGURATION**

## PHOTO OF CONDUCTED POWER LINE TEST

Model : CD102



Front View



Rear View

### PHOTO OF CLAMP EMISSION TEST

Test Mode : VIDEO INPUT , Model : CD102



Front View



Rear View



HomeTek Technology Inc.

**PHOTO OF HARMONICS & VOLTAGE FLUCTUATIONS TEST  
AND SURGE IMMUNITY TEST AND ELECTRICAL FAST TRAN-  
SIENT/BURST IMMUNITY TEST AND VOLTAGE DIPS, SHORT  
INTERRUPTIONS IMMUNITY TEST**

Model : CD102



Front View

**PHOTO OF ELECTROSTATIC DISCHARGE IMMUNITY TEST  
(ESD)**

Model : CD102




**PHOTO OF POWER FREQUENCY MAGNETIC FIELD  
IMMUNITY TEST**




**PHOTO OF RADIO FREQUENCY ELECTROMAGNETIC FILE  
IMMUNITY TEST (RS)**

Model : CD102



**PHOTO OF CS CONDUCTED DISTURBANCE IMMUNITY TEST**






HomeTek Technology Inc.


**Appendix B**  
**PHOTOS OF EUT**

### PHOTO OF EUT

Model : CD102




Full View of EUT




Inside View of EUT

### PHOTO OF EUT

Model : CD102



Component Side of Main Board



Solder Side of Main Board

## PHOTO OF EUT

Model : CD102



Front View of Adaptor



Rear View of Adaptor

# Declaration of Conformity

We(Manufacturer/Importer)

---

(company name)

---

(address)

declares under our sole responsibility that the product

Product name : Video Distributor & Amplifier

Model No. : CD102XX

to which this declaration relates is in conformity with the following standard(s) or other normative document(s)

- |                                                         |                                                           |
|---------------------------------------------------------|-----------------------------------------------------------|
| <input checked="" type="checkbox"/> EN 55013 (2001)     | <input checked="" type="checkbox"/> EN 61000-6-1 (2001)   |
| <input checked="" type="checkbox"/> EN 61000-3-2 (2000) | <input checked="" type="checkbox"/> IEC 61000-4-2 (1995)  |
| <input checked="" type="checkbox"/> EN 61000-3-3 (1995) | <input checked="" type="checkbox"/> IEC 61000-4-3 (1995)  |
| + A1 (2001)                                             | <input checked="" type="checkbox"/> IEC 61000-4-4 (1995)  |
|                                                         | <input checked="" type="checkbox"/> IEC 61000-4-5 (1995)  |
|                                                         | <input checked="" type="checkbox"/> IEC 61000-4-6 (1996)  |
|                                                         | <input checked="" type="checkbox"/> IEC 61000-4-8 (1993)  |
|                                                         | <input checked="" type="checkbox"/> IEC 61000-4-11 (1994) |

following the provisions of 89/336/EEC Directive

Place: \_\_\_\_\_ Signature: \_\_\_\_\_

Date : \_\_\_\_\_ Full name: \_\_\_\_\_



Title: \_\_\_\_\_

## EMC Laboratory Authorisation

Aut. No.: ELA 183

EMC Laboratory: **HomeTek Technology Inc.**  
**P.O.Box 13-131, Pan-Chiao City,**  
**No. 67-9, Shi-Men Rd., Tu-Chen City,**  
**Taipei Shien**  
**Taiwan R.O.C.**

Scope of  
Authorization: **All CENELEC standards [ENs] for EMC that are listed on the  
accompanying page, and, all of the corresponding CISPR,  
IEC, and ISO EMC standards that are listed on the  
accompanying page.**

Nemko has assessed the testing facilities, qualifications and testing practices and the relevant part of the organization. The above-mentioned EMC Laboratory has been validated against EN 45001 and ISO 17025 and found to be compliant. The laboratory also fulfils the conditions described in Nemko Document ELA-INFO-10. During Nemko's visit it was found that the EMC Laboratory is capable of performing tests within the Scope of Authorisation given on the accompanying page(s).


Accordingly, Nemko will accept test reports from the laboratory as a basis for attesting conformity to these EMC Standards under either the European Union EMC Directive (89/336/EEC) or, when applicable, the national standards of countries Nemko has been authorised to attest conformity with.

In order to maintain the Authorisation, the information given in the pertinent ELA-INFO-10 must be carefully followed. Nemko is to be promptly notified about any changes in the situation at the EMC Laboratory, which may affect the basis for this Authorisation. The Authorisation may be withdrawn at any time if the conditions are no longer considered to be fulfilled.

**The Authorisation is valid through 31 December 2004.**

Oslo, 28 November 2002

For Nemko AS:



Kjell Bergh, Nemko Group EMC Co-ordinator

## EMC Laboratory Authorisation

Aut. No.: ELA 183

### SCOPE OF AUTHORIZATION

#### GENERIC & PRODUCT-FAMILY STANDARDS

|                                                                                                                                                                    |                                                                                                                                                |                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| EN 50081-1:1992<br>EN 61000-6-3: 2001<br>IEC 61000-6-3:1996 (mod)                                                                                                  | EN 50082-1 :1997<br>EN 61000-6-1:2001<br>IEC 61000-6-1:1997 (mod)                                                                              | EN 61000-6-2:1999<br>IEC 61000-6-2:1999<br>EN 61000-6-2: 2001<br>IEC 61000-6-2:1999 (mod)                                                |
| EN 50081-2:1993<br>EN 61000-6-4 : 2001<br>IEC 61000-6-4:1997 (mod)                                                                                                 | EN 55014-1:1993 + A1:1997 +<br>A2 :1999<br>CISPR 14:1993 + A1:1996 +<br>A2 :1998<br>EN 55014-1 :2000 + A1 :2001<br>CISPR 14-1 :2000 + A1 :2001 | EN 55014-2:1997<br>CISPR 14-2:1997                                                                                                       |
| EN 61000-3-2:1995 + A1:1998 +<br>A2:1998 + A14 :2000<br>IEC 61000-3-2:1995 + A1:1997 +<br>A2:1998<br>EN 61000-3-2 :2000<br>IEC 61000-3-2 :2000 (mod) +<br>A1 :2001 | EN 61000-3-3 :1995 + A1 :2001<br>IEC 61000-3-3 :1994 + A1 :2001<br><br>EN 61000-3-11 :00<br>IEC 61000-3-11 :00                                 | EN 55022:1994 + A1:1995 +<br>A2:1997<br>CISPR 22:1993 + A1:1995 +<br>A2:1996<br><br>EN 55022:1998 + A1 :2000<br>CISPR 22:1997 + A1 :2000 |
| EN 55024:1998 + A1 :2001<br>CISPR 24:1997 + A1 :2001                                                                                                               | EN 50091-2:1995                                                                                                                                | EN 60945:1997<br>IEC 60945:1996                                                                                                          |
| EN 55013: 1990 + A12 :1994 +<br>A13 :1996 + A14 :1999<br>CISPR 13 :1975 + A1 :1983 (mod)<br>EN55013: 2001<br>CISPR 13 : 2001 (mod)                                 |                                                                                                                                                |                                                                                                                                          |

#### BASIC STANDARDS

|                                                                                                                |                                                                                                                 |                                                           |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| EN 61000-4-2:1995 + A1:98<br>IEC 61000-4-2:1995 + A1:98<br>EN 60801-1:1993<br>IEC 801.2:1991<br>IEC 801.2:1984 | EN 61000-4-3:1996 + A1:98<br>IEC 61000-4-3:1995 + A1:98<br>IEC 801.3:1984<br>ENV 50140:1993 +<br>ENV 50204:1995 | EN 61000-4-4:1995<br>IEC 61000-4-4:1995<br>IEC 801.4:1990 |
| EN 61000-4-5:1995<br>IEC 61000-4-5:1995<br>ENV 50142:1994                                                      | EN 61000-4-6:1996<br>IEC 61000-4-6:1996<br>ENV 50141:1993                                                       | EN 61000-4-8:1993<br>IEC 61000-4-8:1993                   |
| EN 61000-4-11:1994<br>IEC 61000-4-11:1994                                                                      |                                                                                                                 |                                                           |

Oslo, 28 November 2002

Kjell Bergh, Nemko Group EMC Co-ordinator